

0.00"  
0.25"  
0.50"  
0.75"  
1.00"  
1.25"  
1.50"  
1.75"  
2.00"

2

B

PART NUMBER:

HS-021

REV C1

SH 1



PROPRIETARY STATEMENT: ULTRAVOLT INC.  
CONFIDENTIAL DRAWING

REVISIONS

LTR	DESCRIPTION	BY	DATE	APPD
A	NEW RELEASE (SEE ECO # 2148).	D.S.	00/11/06	J.M.
B	REVISED PER ECO # UV3094	SRO	8/14/03	D.P.
C	REVISED PER ECO # UV3241	PT	12/8/04	SRO
C1	REVISED PER EC-00510-UV	JC	11/15/07	SRO

SEE NOTE 3  
FAR SIDE

4X Ø0.101  $\nabla$  THRU  
Ø0.180 X 82°



NOTES:

- 1- MATERIAL: 0.062 THK ALUM ALLOY 5052-H32 PER QQ-A-250/8
- 2- FINISH: DARK BLACK MATTE ANODIZE PER MIL-A-8625 TYPE II, CL 2.
- 3- MARK PART NUMBER AND REVISION. STAMP OR USE A NON-CONDUCTIVE INDELIBLE INK, CONTRASTING COLOR, OR STAMP 0.09 - 0.125 HIGH CHARACTERS LOCATE APPROXIMATELY AS SHOWN. ie. XX-XXX\_revX
- 4- REMOVE ALL BURRS AND SHARP EDGES.

DETAIL 'A'

UNLESS OTHERWISE SPECIFIED DIMENSION ARE IN INCHES TOLERANCES ARE:			CUSTOMER			<b>ULTRAVOLT, INC.</b> 1800 OCEAN AVE. FRNT, RONKONKOMA, N.Y. 11779 1-631-471-4444
2 PL DEC ± .02	FRACT ± 1/64		DRAWN	D.S.	DATE	
3 PL DEC ± .010	ANGLES ± 2°		CHKD	J.M.	11/14/00	
HOLE DIA	TOLERANCES		MFG	JSO	00-11-14	PART NUMBER: <b>HS-021</b> REV <b>C1</b>
.0135 THRU .125	+ .004 - .004		MFG ENGR	G.Mc	11/14/00	
.126 THRU .250	+ .005 - .005		PROCESS	N/A		<b>B</b> SCALE NONE      DO NOT SCALE THIS DRAWING      SHEET 1 OF 1
.251 THRU .500	+ .006 - .006		QA	N/A		
.501 THRU .750	+ .008 - .008		CHIEF ENG	F.G.	11/14/00	
.751 THRU 1.000	+ .010 - .010		CFN:	HS-021_revC1.dwg		
1.001 THRU 2.000	+ .012 - .012					
DASH NUMBER	NEXT ASSY	USED ON				
APPLICATION						

2

1